




Louisiana Department of Wildlife and Fisheries
Natural Heritage Program



Brachyceercus flavus
Yellow Brachycercus Mayfly

No photo available

Identification: Adult: The yellow brachecercus is a small mayfly; * elongated body, very soft; hold wings together and above body; 2-3 hairs extend behind abdomen; very small antennae. Juvenile: dully colored, posses wings, pubescent. Larvae: Cylindrical, gills resemble leaves; 2-3 hairs extend behind abdomen (like a tail).

Measurements*: Adults are typically 15 mm in length.

Taxonomic comments: No recognized recognized.

Status: Global rank is **G4** and state rank is **S1**. This species was identified as extinct in the Center for Biological Diversity's 2001 report.

Habitat: Clear creeks or medium rivers.

Range: The range of this species is not fully understood. It has been recorded in Louisiana, North Carolina, South Carolina, Alabama, Mississippi, Georgia, and Texas.

Food habits*: Larvae eat aquatic organisms and organic debris. Adult do not feed.

Life expectancy*: Adults live a few days.


Reproduction*: Mayfly larvae metamorphose into an intermediate stage called *subimago* which rest on the surface of the water. These "juveniles" molt before becoming adults. All adults emerge at a single time during the year to mate. Swarms move together and leave eggs attached to rocks in the water.

Reason for decline*: Mayflies are very sensitive to the quality of their freshwater ecosystems. Anything contributing to habitat degradation, especially pollution, can threaten mayfly populations.

Interesting facts*: 1) Mayflies are an important link in the food chain because they are a substantial part of the diet for many species of fish. Many flies used in fly-fishing are modeled after various species of mayflies. 2) There are 585 recognized species of mayflies in North America.

*Indicates generalized information on mayflies as a result of a lack of information specific to this species.

Known distribution in Louisiana:



Dates of documented observations are: 1917, 1975, 1991, and 1992

References

- Borror, D.J., and R.E. White. 1970. A field guide to insects of America and north of Mexico. Houghton Mifflin Company, New York, N.Y.
- Hubbard, M.D. 2003. Mayflies (Ephemeroptera) of the southeastern United States. *Ephemeroptera galactica*. <http://www.famu.org/mayfly/index.asp> June 29, 2003.
- Kondratieff, Boris C. (coordinator). 2000. Version 26. Mayflies of the United States. Jamestown, ND: Northern Prairie Wildlife Research Center Home Page. <http://www.npwrc.usgs.gov/resource/distr/insects/mfly/mflyusa.html> (Accessed: June 29, 2003).
- NatureServe Explorer: An online encyclopedia of life [web application]. 2002. Version 1.6. Arlington, Virginia, USA: NatureServe. Available: <http://www.natureserve.org/explorer>. (Accessed: June 19, 2003).
- Purdue University Department of Entomology. 1995 July 8, 2002 last update. Mayfly Central. Online. Available: <http://www.entm.purdue.edu/entomology/research/mayfly/mayfly.html> (Accessed: June 29, 2003).